

FORM PTO-1390
(REV. 11-2000)

U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE

ATTORNEY'S DOCKET NUMBER

298-141

TRANSMITTAL LETTER TO THE UNITED STATES
DESIGNATED/ELECTED OFFICE (DO/EO/US)
CONCERNING A FILING UNDER 35 U.S.C. 371

U.S. APPLICATION NO. (if known, see 37 CFR 1.5)

09/936779

INTERNATIONAL APPLICATION NO.
PCT/EP00/02411INTERNATIONAL FILING DATE
17 MARCH 2000PRIORITY DATE CLAIMED
17 MARCH 1999

TITLE OF INVENTION SPECIFICATION OF A COMMUNICATION SYSTEM FOR MOBILE TELECOMMUNICATIONS...

APPLICANT(S) FOR DO/EO/US THOMAS ODORFER AND GERHARD MAYRHOFER

Applicant herewith submits to the United States Designated/Elected Office (DO/EO/US) the following items and other information:


1. ☒ This is a **FIRST** submission of items concerning a filing under 35 U.S.C. 371.
2. ☐ This is a **SECOND** or **SUBSEQUENT** submission of items concerning a filing under 35 U.S.C. 371.
3. ☒ This is an express request to begin national examination procedures (35 U.S.C. 371(f)). The submission must include items (5), (6), (9) and (21) indicated below.
4. ☒ The US has been elected by the expiration of 19 months from the priority date (Article 31).
5. ☒ A copy of the International Application as filed (35 U.S.C. 371(c)(2))
 - a. ☐ is attached hereto (required only if not communicated by the International Bureau).
 - b. ☒ has been communicated by the International Bureau.
 - c. ☐ is not required, as the application was filed in the United States Receiving Office (RO/US).
6. ☒ An English language translation of the International Application as filed (35 U.S.C. 371(c)(2)).
 - a. ☒ is attached hereto. (17 PAGES OF SPEC, 5 PAGES OF CLAIMS AND 1 PAGE ABSTRACT)
 - b. ☐ has been previously submitted under 35 U.S.C. 154(d)(4).
7. ☒ Amendments to the claims of the International Application under PCT Article 19 (35 U.S.C. 371(c)(3))
 - a. ☐ are attached hereto (required only if not communicated by the International Bureau).
 - b. ☐ have been communicated by the International Bureau.
 - c. ☐ have not been made; however, the time limit for making such amendments has NOT expired.
 - d. ☒ have not been made and will not be made.
8. ☐ An English language translation of the amendments to the claims under PCT Article 19 (35 U.S.C. 371 (c)(3)).
9. ☐ An oath or declaration of the inventor(s) (35 U.S.C. 371(c)(4)).
10. ☐ An English language translation of the annexes of the International Preliminary Examination Report under PCT Article 36 (35 U.S.C. 371(c)(5)).

Items 11 to 20 below concern document(s) or information included:

11. ☐ An Information Disclosure Statement under 37 CFR 1.97 and 1.98.
12. ☐ An assignment document for recording. A separate cover sheet in compliance with 37 CFR 3.28 and 3.31 is included.
13. ☒ A FIRST preliminary amendment.
14. ☐ A SECOND or SUBSEQUENT preliminary amendment.
15. ☐ A substitute specification.
16. ☐ A change of power of attorney and/or address letter.
17. ☐ A computer-readable form of the sequence listing in accordance with PCT Rule 13ter.2 and 35 U.S.C. 1.821 - 1.825.
18. ☐ A second copy of the published international application under 35 U.S.C. 154(d)(4).
19. ☐ A second copy of the English language translation of the international application under 35 U.S.C. 154(d)(4).
20. ☒ Other items or information: FIVE (5) SHEETS OF FORMAL DRAWINGS; FORM PCT/IB/308

CERTIFICATION UNDER 37 C.F.R. § 1.10

I hereby certify that this correspondence and the documents referred to as enclosed are being deposited with the United States Postal Service on date below in an envelope as "Express Mail Post Office to Addressee" Mail Label Number EL814600196US, addressed to Assistant Commissioner for Patents, Box PCT, Washington, D.C. 20231.Dated: SEPTEMBER 17, 2001George M. Kaplan
GEORGE M. KAPLAN

U.S. APPLICATION NO. (if known) 09/936779 INTERNATIONAL APPLICATION NO. PCT/EP00/02411		ATTORNEY'S DOCKET NUMBER 298-141	
21. <input checked="" type="checkbox"/> The following fees are submitted: BASIC NATIONAL FEE (37 CFR 1.492 (a) (1) - (5)): Neither international preliminary examination fee (37 CFR 1.482) nor international search fee (37 CFR 1.445(a)(2)) paid to USPTO and International Search Report not prepared by the EPO or JPO \$1000.00 International preliminary examination fee (37 CFR 1.482) not paid to USPTO but International Search Report prepared by the EPO or JPO \$860.00 International preliminary examination fee (37 CFR 1.482) not paid to USPTO but international search fee (37 CFR 1.445(a)(2)) paid to USPTO \$710.00 International preliminary examination fee (37 CFR 1.482) paid to USPTO but all claims did not satisfy provisions of PCT Article 33(1)-(4) \$690.00 International preliminary examination fee (37 CFR 1.482) paid to USPTO and all claims satisfied provisions of PCT Article 33(1)-(4) \$100.00 ENTER APPROPRIATE BASIC FEE AMOUNT =		CALCULATIONS PTO USE ONLY	
Surcharge of \$130.00 for furnishing the oath or declaration later than <input type="checkbox"/> 20 <input type="checkbox"/> 30 months from the earliest claimed priority date (37 CFR 1.492(e)).		\$ \$860.00	
CLAIMS	NUMBER FILED	NUMBER EXTRA	RATE
Total claims	27 - 20 =	7	x \$18.00
Independent claims	1 - 3 =	0	x \$80.00
MULTIPLE DEPENDENT CLAIM(S) (if applicable)			+ \$270.00
TOTAL OF ABOVE CALCULATIONS =		\$ \$986.00	
<input type="checkbox"/> Applicant claims small entity status. See 37 CFR 1.27. The fees indicated above are reduced by 1/2.		+	
SUBTOTAL =		\$ \$986.00	
Processing fee of \$130.00 for furnishing the English translation later than <input checked="" type="checkbox"/> 20 <input type="checkbox"/> 30 months from the earliest claimed priority date (37 CFR 1.492(f)).		\$	
TOTAL NATIONAL FEE =		\$ \$986.00	
Fee for recording the enclosed assignment (37 CFR 1.21(h)). The assignment must be accompanied by an appropriate cover sheet (37 CFR 3.28, 3.31). \$40.00 per property +		\$	
TOTAL FEES ENCLOSED =		\$ \$986.00	
		Amount to be refunded:	\$
		charged:	\$
a. <input checked="" type="checkbox"/> A check in the amount of \$ <u>\$986.00</u> to cover the above fees is enclosed. b. <input type="checkbox"/> Please charge my Deposit Account No. <u>04-1121</u> in the amount of \$ _____ to cover the above fees. A duplicate copy of this sheet is enclosed. c. <input checked="" type="checkbox"/> The Commissioner is hereby authorized to charge any additional fees which may be required, or credit any overpayment to Deposit Account No. <u>04-1121</u> . A duplicate copy of this sheet is enclosed. d. <input type="checkbox"/> Fees are to be charged to a credit card. WARNING: Information on this form may become public. Credit card information should not be included on this form. Provide credit card information and authorization on PTO-2038.			
NOTE: Where an appropriate time limit under 37 CFR 1.494 or 1.495 has not been met, a petition to revive (37 CFR 1.137 (a) or (b)) must be filed and granted to restore the application to pending status.			
SEND ALL CORRESPONDENCE TO: Rocco S. Barrese, Esq. Dilworth & Barrese, LLP 333 Earle Ovington Blvd. Uniondale, New York 11553 tel: (516) 228-8484 fax: (516) 228-8516		 SIGNATURE George M. Kaplan NAME 28,375 REGISTRATION NUMBER	

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant(s): Odorfer et al.

Examiner:

Serial No.: Not Yet Assigned

Group Art Unit:

Filed: Herewith

Docket: 298-141

For: SYSTEM FOR MOBILE....

Dated: September 17, 2001

Assistant Commissioner for Patents
Washington, D.C. 20231**PRELIMINARY AMENDMENT**

Sir:

Please enter the following Preliminary Amendment in the above-identified application:

IN THE ABSTRACT:

Insert the Abstract found on page 23 of the accompanying English translation at the appropriate location.

IN THE SPECIFICATION:

Page 1, between lines 3 and 4 insert: --BACKGROUND OF THE INVENTION- -;

Page 2, between lines 6 and 7 insert - -SUMMARY OF THE INVENTION- -;

Page 10, before line 1 insert - - BRIEF DESCRIPTION OF THE DRAWINGS- -;

and

Page 11, between lines 8 and 9, insert --DESCRIPTION OF THE PREFERRED EMBODIMENTS--.

CERTIFICATION UNDER 37 C.F.R. § 1.10

I hereby certify that this correspondence and the documents referred to as enclosed are being deposited with the United States Postal Service on date below in an envelope as "Express Mail Post Office to Addressee" Mail Label Number **EL814600196US** addressed to: Assistant Commissioner for Patents, Box Patent Application, Washington, D.C. 20231.

Dated: September 17, 2001
George M. Kaplan

IN THE CLAIMS:

Amend Claims 3-7, 9, 11, 13, 14, 16, 21, 22 and 25-27:

3. A communication system according to claim 1 whereby in the case of several selected subscriber areas the individual areas can overlap.

4. A communication system according to claim 2 whereby the subscriber areas have different priorities for usage.

5. A communication system according to claim 1 in which the subscriber areas is entered in the subscriber identity module (SIM).

6. A communication system according to claim 1 in which the subscriber area comprises several cells and/or serves several mobile user units.

7. A communication system according to claim 1 in which a first subscriber telephone number is intended for the mobile subscriber telephone number and a second intended for a telephone number used for the fixed network.

9. A communication system according to claim 1 in which the subscriber area is defined via a location point and the location radius.

11. A communication system according to claim 1 in which is intended to have one or more fixed stations within the subscriber area.

13. A communication system according to claim 1 in which provision is made for a display for the mobile user unit which shows whether the mobile user is located with the subscriber area.

14. A communication system according to claim 1 in which the global system for mobile communications (GSM) is used.

16. A set of procedures for operating a communication system for mobile telecommunications, in particular using the communications system according to claim 1, which comprises the following steps:

- a) providing a switch unit with a total area;
- b) defining at least one subscriber area within this total area; and
- c) allocating at least one subscriber number for the subscriber area.

21. A set of procedures according to claim 18 in which the square of the location radius is transmitted to the subscriber identity module.

22. A set of procedures according to claim 16 in which it is displayed whether the mobile user unit is located within a given subscriber area.

25. A set of procedures according claim 16 in which arriving information is passed on if the mobile user unit is located outside the subscriber area.

26. A set of procedures according to claim 16 in which the definition of the sub-area can be made several times and/or with different cells.

27. A set of procedures according to claim 16 in which two subscriber numbers are allocated to one subscriber area.

REMARKS:


The claims in the application are 1-27.

Favorable consideration of the application as amended is respectfully requested.

The claims have been amended to eliminate all multiple dependencies (a marked-up copy is enclosed). The specification has also been amended to insert subtitles with the Abstract formally inserted.

Early favorable action is earnestly solicited.

Respectfully submitted,



George M. Kaplan
Registration No.: 28,375
Attorney for Applicant(s)

DILWORTH & BARRESE, LLP
333 Earle Ovington Blvd.
Uniondale, New York 11553
(516)228-8484

MARKED UP
Copy

09/936779

JC16 Rec'd PCT/PTO SEP 17 2001

Patent claims

1. A communications system for mobile telecommunications consisting of at least one switching unit which serves a predefined total area and in which at least one subscriber area has been defined within this total area and a subscriber telephone number is allocated to this subscriber area.
2. A communications system according to claim 1 in which it is intended to have four subscriber areas and preferably the first subscriber area is allocated to a home zone of the subscriber and the second subscriber area to a business zone of the subscriber.
- ✓ 3. A communications system according to claim 1 ~~or 2~~ whereby in the case of several selected subscriber areas the individual areas can overlap.
- ✓ 4. A communications system according to ~~one of the claims 2 or 3~~ whereby the subscriber areas have differing priorities for usage.
- ✓ 5. A communications system according to ~~one of the claims 1 to 4~~ in which the subscriber area is entered in the subscriber identity module (SIM).
- ✓ 6. A communications system according to ~~one of the claims 1 to 5~~ in which the subscriber area comprises several cells and/or serves several mobile user units.
- ✓ 7. A communications system according to ~~one of the claims 1 to 6~~ in which a first subscriber telephone number is intended for the mobile subscriber telephone number and a second intended for a telephone number used for the fixed network.

16. A set of procedures for operating a communications system for mobile telecommunications, in particular using the communications system according to ~~one of the claims 1 to 15~~, which comprises following steps:

- a) providing a switching unit with a total area;
- b) defining at least one subscriber area within this total area; and
- c) allocating at least one subscriber number for the subscriber area

17. A set of procedures according to claim 16 in which the subscriber area is defined and set by the switching unit.

18. A set of procedures according to claim 17 in which the subscriber area is defined via

- a) specifying a location point, for example the name of a street;
- b) determining the absolute value of the location radius using a graphic information system (GIS) with a database including the location points and considering the fact that several cells are within the location radius; and
- c) writing the location point and the location radius to a file of the switching unit; and
- d) transmitting the location point and the location radius to the subscriber identity module of the mobile user unit .

19. A set of procedures according to claim 16 in which the subscriber area is defined via the mobile user unit .

20. A set of procedures according to claim 19 in which the subscriber area is defined via

- a) checking the first and second flag, whereby the first flag signals whether the mobile user unit is authorised for the subscriber area and a second flag signals whether an allocation to the subscriber area has already taken place;
- b) selecting the cells around the mobile user unit according to the strength of the signals;
- c) recording the cell currently used for transmission;
- d) determining the area code and the cell identity (cell-ID) on the basis of the recorded cell;
- e) transmitting the area code and the cell identity to a collecting point of the switching unit and the simultaneous storage of the address of the collecting point in the subscriber identity module (SIM);
- f) determining the location point and the location radius according to a file intended for the collecting point and which contains all the cells;
- g) producing a subscriber file within the collecting point which is subject to write protection;
- h) transmitting the location point and the location radius to the subscriber identity module of the mobile user unit;
- i) updating the location point and location radius stored in the mobile user unit.

21. A set of procedures according to ~~one of the claims 18 or 20~~ in which the square of the location radius is transmitted to the subscriber identity module.
22. A set of procedures according to ~~one of the claims 16 to 21~~ in which it is displayed whether the mobile user unit is located in the subscriber area.
23. A set of procedures according to claim 22 in which the check is made whether the new cell is located within a given subscriber area.
24. A set of procedures according to claim 23 in which it is displayed which subscriber area has been activated.
25. A set of procedures according to ~~one of the claims 16 to 21~~ in which arriving information is passed on if the mobile user unit is located outside the subscriber area.
26. A set of procedures according to ~~one of the claims 16 to 25~~ in which the definition of the sub-area can be made several times and/or with different cells.
27. A set of procedures according to ~~one of the claims 16 to 26~~ in which two subscriber numbers are allocated to one subscriber area.

Description

Specification of a Communications System for Mobile Telecommunications and a
Suitable Set of Procedures for the System

The invention described concerns a communications system for mobile telecommunications and a set of procedures for operating the system.

Up to now no technology is being used by any of the known mobile telecommunications systems which operate for example in the GSM mode (Global System for Mobile Communications) for finding the exact location of a mobile telephone or any other user unit. This means that a subscriber to whom a subscriber number is allocated can be permanently reached within the total area served by the corresponding switching unit, the so called provider.

Hence, when the total area in question covers several adjacent countries and requires a large number of cells for transmitting the information, high charges must be made for each chargeable tariff unit as the charge made for the communications between mobile user units is independent of the distance between the subscribers. In addition, within a GSM mobile communications system, only approximate information concerning the location of a subscriber can be made available. This information is on the whole determined by the inherent organisation of the switching unit. In the inactive mode, i.e. when the subscriber is not carrying out a conversation or the mobile user unit is sending no updating information, the mobile communications network can only ascertain in which area the customer was last located – the area predetermined by the switching unit. And this area predetermined by the switching unit is usually extremely large, i.e. with a diameter of from several kilometres to 100 km, and covers often the geographical area of several area codes and often is subject to changes as a result of dynamic mobile communications

network planning. A location which is changing as a result of the subscriber's movements and hence those of his mobile user unit can as a result of the parameters used up to now simply be used in the active mode, i.e. during a conversation, to locate the user units. Because of their method of operation the communications systems used up to now, however, are not suitable for determining in the inactive mode the position of the user units and hence indicating to the subscriber his current position.

For this reason the invention in question sets out to provide a communications system or a set of procedures for operating the communications system which can offer the user - in addition to the advantages of mobile communications - a telephone service which in every respect is the equal to that offered by traditional fixed network operations.

Furthermore it sets out to provide a communications system which does not require costly hardware changes.

From the point of view of the equipment used these aims are met by the features of claim 1 and from the point of view of the procedures, the features of claim 16. In keeping with this invention at least one subscriber area is defined within the given total area - served by the switching unit - and the subscriber area is served by this switching unit, and at least one subscriber number is allocated to the subscriber area. Via this sub-division of the total area the following is accomplished: Within the subscriber area a tariff can be set which is lower or modified compared to the tariff for the total area - or a special service can be provided with which the subscriber, for example, can telephone at a lower price. Furthermore sub-dividing the total area and having at least one subscriber area, to which at least one subscriber number is allocated, enables for example the subscriber to be shown when he is within the subscriber area concerned and when he leaves it. Because of the unambiguous allocation of the subscriber telephone numbers to the subscriber area it is also ensured that for example existing regulations can be met. In addition this

means, for example, that a subscriber can use his mobile user unit within the subscriber area for both at home and in the office without having to use individually set passing on procedures as was traditionally necessary. The passing on procedures in force up to now are extremely cumbersome to use and therefore are not used by every subscriber. Owing to the fixed predetermined subscriber area, in accordance with this patent application, the switching unit permits the subscriber, for example, to operate several mobile user units at the same time. Each one of these can be charged at a more favourable tariff when used within the subscriber area and, for example, the allocated subscriber number has been dialled. Communications between two mobile user units used within one subscriber area can take place in the traditional way, i.e. a preference can be allocated to one mobile user unit and in case this mobile unit does not respond the message will be passed on to the second mobile unit after a particular number of signals has been registered.

Further practical modes of operation are described in the sub-sections of the claim

If, in accordance with claim 2, for example it is intended to have four subscriber areas the advantage is attained that, once again, within the subscriber area each form of service provided by the switching unit can be used at a reduced tariff, whereby the communications between the subscriber areas can also be allocated a special tariff for this purpose. In connection with this it is advantageous, for example, to allocate one sub-area to a zone for the subscriber's home (so-called HOMEZONE) and a second subscriber area to a business zone (so-called OFFICEZONE). As a result of this allocation the switching unit can provide the subscriber with a special service, which is specially adapted to how he normally uses the communications system.

If in accordance with claim 3 it becomes possible to have selected subscriber areas overlapping, a flexible operation is possible for choosing the size of the individual subscriber areas. In this way, for example, a further urban zone (so-called CITYZONE) can be allocated as a second subscriber

area, whereby this urban zone can for example also include the home zone, in connection with which a special set of tariffs can be offered from the switching unit.

If, in accordance with claim 4, every subscriber area is allocated a different usage priority, the switching unit or the subscriber can, for example, select individually which subscriber area should be used for a telephone call or other form of communication (The selection is based on a predetermined priority.) In this way the subscriber can, for example, carry out an allocation with respect to the external telephone numbers, which can be previously determined. And this allocation can, for example, structure the ensuing charges according to the different tariffs.

If, in accordance with claim 5, the various subscriber areas and, where applicable, the usage priorities are entered or saved in the subscriber identity module (SIM) the utilisation of the switching unit will be correspondingly reduced as the entry / storage procedure only has to be carried out when the activating takes place. In addition the subscriber can, for example, on his own account change the priority with respect to the various subscriber areas on his mobile user unit without making a connection to the switching unit.

If, in accordance with claim 6, the subscriber area comprises several cells, the cell will be selected with which the best quality of transmission is attainable. If, within the subscriber area several mobile user units are being operated or being served, special forms of connection are available.

If for example, in accordance with claim 7, two subscriber numbers are allocated to the subscriber area, whereby the first number is meant as the mobile subscriber number and the second number, for example, as the number in the fixed network, it would make no difference to the tariff whether the subscriber is called via the mobile subscriber number or via the number in the fixed network.

As a result of the transmitting mechanisms set by the switching unit it can occasionally occur that a delay arises in the transmission when a sub-area has been newly defined or when the area is being left. In order to avoid this, in accordance with claim 8, the subscriber identity module will, for example, be fitted with an ancillary store (cache), whereby for every subscriber area a storage area can be identified in advance which corresponds to the cells (possibly defined previously defined by the subscriber) of the subscriber area. A comparison between a cell belonging to a subscriber area and a newly recognised cell can in this way be carried out within the user mobile user unit and has no influence on the transmission or the communication respectively. Should for example a cell of a predetermined sub-area be recognised the corresponding sub-area can then be allocated to the mobile user unit or be displayed on the mobile user unit respectively.

It has been shown to be advantageous, in accordance with claim 9, to define the subscriber area via a point location and a radius centred on this point. In this way a circle is produced around the point location which, for example, can correspond to the current position of the mobile user unit. Once the point location and radius are determined it is checked which cells are located within the circle thus defined, whereby the cell is selected which has the best transmission quality.

As the cell density can vary throughout the total area of the switching unit, in accordance with claim 10, the point radius can be determined after fixing the point location via sampling several cells which are situated in the vicinity of the point location. Fixing the point locations ensures that if the cell density is low the subscriber areas will be so defined that within each subscriber area at least one cell is included with sufficient transmission quality or that the required quantity of cells is attained. The quantity of cells can be predetermined from the switching unit.

If for example, in accordance with claim 11, additionally a fixed station is provided for within the subscriber area, the telephone number used for the standard telephone network can be allocated

as the second telephone number for the subscriber, whereby the personal number can also be used as the personal mobile user unit number for the mobile subscriber number. Hence, in this simple way, both the subscriber and those wishing to reach him only have to note or remember a single telephone number.

If, in accordance with claim 13, provision is made for the mobile user unit to have a display which shows whether the mobile user unit is within the subscriber area, it is signalled to the subscriber whether he is telephoning at a lower tariff or at a more expensive tariff. And also whether he is getting a special service or not. The technical checking facility can not only be used in the active mode, i.e. during a conversation but also, due to the defined subscriber area, at other times too.

If, in accordance with claim 15, the communications system is fitted with a first and second flag the first flag can be used, for example, to signal whether the mobile user unit for the subscriber area has an authorisation dependent upon the switching unit. The second flag can be used to show whether an allocation has occurred for the subscriber area. Using the GSM with these two flags it is, for example, determined in advance whether the subscriber is authorised for the serviced reached via the communications system as defined in this patent application and hence can enjoy the advantages of this. If the second flag can be used for preventing that the subscriber area already predetermined is deleted or activated again. This form of usage of the two flags is particularly advantageous when the mobile user unit is used for activating the communications system as defined in this patent application

If, in accordance with claim 17, the subscriber area is defined by the switching unit the subscriber does not have to make any settings for himself and can, for example, use the subscriber area defined by the switching unit. In other words, the subscriber can begin to use the mobile user unit straight away.

Defining a point location which for example can refer to a street in which the subscriber has either his private address or his business address ensures that, in accordance with claim 18, by using a graphic information system (GIS) and observing the fact that within the radius of this location point several cells are included the individual subscriber areas will be defined taking account of the cell density. The mutual storage of the point location and the corresponding radius, both in a switching unit file and in the mobile user unit subscriber identity module ensures that the subscriber areas can be checked both from the switching unit directly and from the mobile user unit, also directly, and will be identified without further communication or data interchange at a later time, for example when the charges are calculated. As a general rule, in accordance with this application, the point location can be defined as a geographically known fixed point. The crossroads nearest to the subscriber and also the areas defined by the postcodes (*translator's note: German post codes have five digits*) are particularly suitable for this.

If, in accordance with claim 19, the subscriber area is defined via the mobile user unit, a high degree of flexibility is available to the subscriber, depending on where he lives, in choosing the subscriber area.

If, in accordance with claim 20, the individual procedures described in this claim are used when defining the subscriber area these are particularly of interest for the switching units which either have no access to a graphic information system or do not wish to have this access.

If, in accordance with claim 21, the square of the point location radius is transmitted to the subscriber identity module calculations are no longer necessary for the mobile user unit and hence energy is saved, in particular for determining whether a newly activated cell lies within the subscriber area.

In accordance with claim 22 it can be shown whether the mobile user unit is in the subscriber area. In this way the subscriber is continually informed whether he could telephone at a more favourable tariff.

For the case that, resulting from a movement of the mobile user unit in the selected subscriber area a change is made from an addressed cell to a new cell and whether the mobile user unit remains within the subscriber area, it will be checked in an appropriate way, in accordance with claim 23, whether the new cell lies within the defined user area. In addition, in a first step, the difference value Δx between the new cell with respect to the x-coordinate and the X-coordinate (z, B, x_c) of the predefined location point (x_H) is defined and in the same way the difference value Δy is calculated between the y-coordinates

$$\Delta x = |x_H - x_c|$$

$$\Delta y = |y_H - y_c|$$

As soon as one of these values is, for example, larger than 100 km it is assumed that the new cell is outside the subscriber area. This procedure is carried out to avoid the possibility of an arithmetical overflow within the mobile user unit. In the second step, which is carried out if the result of the first step is negative, the square of the distance between the coordinates of the new cell and the point location is calculated according to Pythagoras' theorem:

$$d^2 = (y_H - y_c)^2 + (x_H - x_c)^2$$

Should the value of the calculated distance d^2 be smaller than the value of the predefined or computed location radius r^2 then the new cell is a cell within the subscriber area. It can in addition be checked whether the new cell has already been written to file for every subscriber area. If the new cell already appears in this file no further step is required. Otherwise the new cell

will be written to file for the subscriber areas' storage. These calculations are carried out for each of the defined subscriber areas, whereby the complete calculation is carried out preferably starting with the subscriber area with the highest usage priority and finishing with the area with the lowest. However no further comparison is made as long as a cell is found which belongs to a subscriber area. in this way, for example. it is ensured that, in case subscriber areas overlap, an allocation will be made to the subscriber area with the highest priority. .

The computation method described above can be used with advantage for determining a correct tariff, in particular for calculating the charges.

If, in accordance with claim 24, it is permanently displayed which subscriber area is activated the subscriber is signalled to which subscriber area he would make a connection and the corresponding usage priority

If, in accordance with claim 25, it is guaranteed that when the mobile user unit is located within the subscriber area the information arriving is passed on, for example, to an answering machine or to a so-called voice mail. In this way in it is ensured that whoever is trying to reach the subscriber can transmit him the information.

If, in accordance with claim 26, the possibility is provided that the definition of the subscriber areas can be made several times and/or with differing cells then, for example, the requirements of the subscriber can be individually met or alternatively - in the face of varying initial conditions - the individual sub-units can be adapted without significant technical effort.

Further useful versions are described in the remaining sections of the claim.

For better understanding the following section contains detailed descriptions of functional versions of the communications system as described in this patent application . Reference is made to the enclosed drawings.

Figure 1 shows a total overview, in accordance with this patent application, of the allocation of the subscriber areas within the total area.

Figure 2 is a diagram of the checks carried out when a mobile user unit is situated within the subscriber area

Figure 3 is a diagram showing the possibilities of allocating both a telephone number of the fixed network and a mobile telephone number to a mobile user unit .

Figure 4 shows the usage possibilities, in accordance with the patent application, of the allocation with two mobile user units within a subscriber area.

Figure 5 shows the possibilities of usage when one mobile user unit is within a subscriber area and one mobile user unit is outside the area.

Figure 6 shows the case when both mobile user units are outside the subscriber area.

Figure 7 shows a flowchart representing the activating process.

Figure 8 shows a flowchart for the case when several subscriber areas are used with ancillary storage.

Figure 1 illustrates in general terms the communications system as defined in this patent application. Within the total area I, of which the boundaries conform to national borders, the area (HZ; dotted line) is selected which is defined via a location point (x, y) with a radius r. Within this subscriber area HZ there are as a rule several cells F1, F2, F3 F4, whereby the area corresponding to each cell F3 and F4, is shown with dark shading. In the case shown in figure 1 the user unit is not exactly at the point location. If the user unit ME, similar to a fixed station, were permanently at the location shown (with a square) then the voice communication or transmission of information would occur via the cell F4. In the case however in which the mobile user unit ME moves within the subscriber area, the information is transmitted in each case from one cell to another. This is described in more detail later. It can also be seen in figure 1 that as a result of the distribution or the density of the cells adjacent to the current subscriber area, which for example can be described as the so-called "home zones", a so-called logical "home zone" is defined, which is situated in only one area. All the cells normally within the total subscriber area are also within this latter area. It should be emphasised here that the subscriber is informed only about the current "home zone" or the current subscriber area. In this way a special tariff can be offered to the subscriber within this subscriber area.

It is made clear in figure 2 how the test is carried out to check whether an mobile user unit is within a subscriber area or a home zone respectively. In this case following data is used: the x or y- coordinates of the location point (x_H , y_H) along with the radius r which defines the subscriber area or home zone, which for example are stored in the subscriber identity module (SIM) of the mobile user unit. The check to ascertain whether the mobile user unit is within the subscriber area takes place in such a way that the x- or y-coordinates (x_c , y_c) of the cell F used for the transmission can be found, for example, in the parameters from, for example, the standardised transmission. As these values are also stored in the mobile user unit this unit can check independently and without additional information (which would have to be transmitted from the switching unit) whether the mobile user unit is within the subscriber area. The check consists of

computing the difference using coordinates and the absolute value of this difference is checked whether it is larger than a predefined value, for example 100 km. If the result of the check is negative the distance between the location point and the cell is also computed, via the squares of the difference values (Pythagoras' theorem) and this square value is compared with the square of the location radius as stored in the subscriber identity module. If the computed square, d^2 , of the distance is smaller or equal to the square, r^2 , of the location radius the mobile user unit is within the subscriber area. On the basis of this example it is clear that it is advantageous to store the square of the location radius for the subscriber area, in the subscriber identity module, in addition to the coordinates of the location point so that this module (SIM) does not need to carry out any additional computation, i.e. computing the square of the location radius

In figure 3 the case is illustrated of the subscriber wishing to continue using his usual standard telephone number, i.e. the number for the traditional fixed network, in addition to his mobile telephone number for a mobile user unit. As a result of this duplicated allocation it makes no difference for those wishing to reach the subscriber whether they choose the number for the fixed network or a mobile telephone number as long as the mobile user unit in ME is within the subscriber area HZ. However it is signalled to the person calling the subscriber whether the subscriber is within the subscriber area when he answers the call via the standard telephone number. As a result of this possibility a complete change-over from, for example, the fixed network station to the mobile communications network can be carried without any further problems and without any noticeable additional changes for the subscriber - he can keep both telephone numbers.

A further method of operation is illustrated in figure 4. In this case, for example, a partner configuration is required, i.e. two mobile user units can be contacted either by the standard telephone number or via the mobile telephone number. If for example a call is made by the standard number then, according to the setting, either both mobile user units respond at the same

time or on one of the units already has a reference determining that this one should be contacted first. The communications system, in accordance with the patent application, ensures in this case that, for example, switching from one mobile user unit ME1 to another ME2 within the subscriber area occurs at no cost as every mobile user unit is continually polled to ascertain whether it is within the subscriber area HZ. A special service can be offered to subscribers within this partner configuration independent of external calls. This service includes, for example, the feature that telephone calls can be made within the subscriber area HZ at no cost.

On the other hand both the mobile user units can be switched in such a way that each unit basically has two different mobile telephone numbers but can be reached via the same standard telephone number. By means of this option the possibility is given to those who wish to contact one of the other partners, either by selecting the standard telephone number contacting both partners at the same time or - by selecting the respective mobile telephone number - contacting one partner individually. In this case too, switching between the two mobile user unit is possible if one of the two units does not respond.

In figure 5 the case is described where, for example, one of the partners is within the subscriber area HZ and the other partner is outside this area. If, for example, in this case the standard telephone number is selected the mobile user unit is contacted. If this mobile user unit makes no response then after a predetermined interval or a predefined number of signals the conversation is passed on to the second mobile user unit ME2 or to the voicemail activated for this subscriber area.

The communications system as defined in this patent application ensures that the tariff allocation can be precisely controlled by means of the allocation of a subscriber area. Also considerable freedom is granted to the subscriber with regard to when he would like to communicate and with which configuration.

In figure 6 the case is illustrated where both the mobile user units are outside the subscriber area. In spite of that, using the standard telephone number, the call can be passed on either by activating the voicemail or by transmitting using traditional transmission procedures - either to both mobile user units, if both of these units have the same mobile telephone number, or simply to one predetermined mobile user unit if the partner mobile user units have differing mobile telephone numbers.

In figure 7 a flowchart is shown which represents activating the subscriber area or the "home zone" HZ in an appropriate manner.

The starting point in this case is that activating can be carried out from the mobile user unit itself. The activating procedure is started by selecting the activating program within the mobile user unit menu (step 100). After initiation it will be checked, in step 102, whether the subscriber is authorised to activate the communications system as defined in this patent application, i.e. the subscriber has already registered at the switching unit that he would like to use the communications system as defined in this patent application. Should the result of this check be negative then the activating procedure is terminated, in step 104. If the result is positive it will be checked, in step 106, whether a first flag has already been set, which indicates that the subscriber area has already been selected. If the result of this check is positive the subscriber is signalled by the mobile user unit (step 108) that the subscriber area has already been selected. Subsequently the activating procedure is terminated, in step 110. If the result of the check in step 106 is negative it is checked, in step 112, whether an authorisation is on file in the subscriber identity module for the use of the corresponding switching unit. If the result of this check is negative the subscriber is signalled by the mobile user unit that the activating procedure is only possible within the network predetermined by the switching unit (step 114). Subsequently the activating procedure is terminated, in step 116.

et al.

If the result of the check in step 112 is positive the subscriber will be signalled at the mobile user unit that the allocation of the subscriber area is being carried out and will continue until the subscriber area parameters have been received (step 118). Once the allocation has been successfully completed it will be detected (in step 120) which cells are within the subscriber area. Preferably the subscriber area will be defined once six cells have been found. If less than six cells can be found the subscriber is signalled that the allocation for the subscriber area was not successful. After the subscriber area has been defined the relevant data along with the cells found will be transmitted as a short item of information to a central location of the switching unit (steps 122 and 124). In step 126 it is then checked whether this short item of information has been transmitted successfully. If the result of the check is positive the activating procedure of step 128 is terminated. Otherwise, in step 130, the subscriber is signalled that the activating has failed and has been terminated in step 132. If the activating could not be carried out successfully two short items of information are transmitted from the switching unit to the mobile user unit, the first information including the old x-, y- and r-data.

After the subscriber area has been defined, the x- or y-coordinates and also the square of the location radius of the selected subscriber area are written to file simultaneously in the subscriber identity module (SIM) of the mobile user unit. The first flag, which specifies whether a subscriber area has been selected, is activated.

It should be emphasised at this point that, after activating, it will be continually checked, both in the active mode and also in the inactive mode of the mobile user unit, whether the mobile user unit is within the subscriber area.

As is to be expected, a new definition or allocation of the subscriber area is only possible if the subscriber contacts the switching unit, which then resets the corresponding parameters in order to

make activating possible at another place. In this case the switching unit transmits also the basic settings for the x- or y- and r^2 -values, deletes all the allocated cells for the subscriber area and de-activates the second flag so that the subscriber can activate a new subscriber area at another location.

Figure 8 is a flow chart which shows the set of procedures concerning the check carried out in the inactive mode as to whether the mobile user unit is within the pre-selected subscriber area. The starting point of this flow chart is querying continually whether, as a result of a movement, the mobile user unit has moved to a new cell, i.e. whether a new cell selection has taken place (step 200). In step 202, first of all, each displayed message in the mobile user unit is deleted. That is the message with the information as to whether the mobile user unit is within the subscriber area. The flow chart of figure 8 uses the communications system as defined in this patent application with preferably four ancillary storage units allocated to each sub-area. In step 204 it is checked whether the new cell is already on file, in the first ancillary store and with the highest priority. If this is the case it is shown, in step 206, that the mobile user unit has been allocated to the first subscriber area, which corresponds to the new cell. Should the result of the query in step 204 be negative it will be checked whether the new cell was written to file in the second ancillary storage unit. If this is so it will be displayed that the mobile user unit will be activated for the next subscriber area. If this query mode has been carried out in steps 204 and 206 for every subscriber area or home zone the x- and y- coordinates of the new cell from the standardised transmission signal will be decoded (208). In step 210 the difference between the allocated location and a new cell is computed for every allocated home zone or subscriber area using the relevant coordinates. It is checked, in step 212, whether the absolute value of the difference is larger than the predetermined value, e.g. 100 km. If this is the case it is checked whether the new cell has been written to file in the ancillary store in the course of step 214. If this is the case the new cell is removed from the ancillary storage and the first flag of the subscriber area is deleted. If, in step 212, it is established that one of the difference values is not larger than 100 km. the distance

between the point location and the cell is calculated (218). It is then checked, in step 220, whether the cell is situated in the subscriber area. If the answer is negative we continue to step 214. If the result of the check of step 220 is positive it is then checked whether the cell has been written to the ancillary store (222). If the answer to this query is negative this cell is added to the ancillary store and it is displayed that the cell is within the subscriber area. If the answer to the query in step 222 is positive we continue with step 224. In step 224 it is checked whether the new cell is located within the subscriber area or the home zone. If so the process shown in the flow chart is completed.

At this point we can continue as well if, for example, a further two subscriber areas can be defined, e.g. subscriber areas like city zone or office zone, which can comprise several previously defined subscriber areas. In this case the standard check is whether the subscriber is authorised to use the further two subscriber areas.

Depending on the cell density it has been found that on average the subscriber areas have a diameter of approximately 500 to 1000 m.

It should be emphasised at this point that the possibilities of usage shown in figures 4 to 6 for two mobile user units are also applicable for more than two mobile user units.

Patent claims

1. A communications system for mobile telecommunications consisting of at least one switching unit which serves a predefined total area and in which at least one subscriber area has been defined within this total area and a subscriber telephone number is allocated to this subscriber area.
2. A communications system according to claim 1 in which it is intended to have four subscriber areas and preferably the first subscriber area is allocated to a home zone of the subscriber and the second subscriber area to a business zone of the subscriber
3. A communications system according to claim 1 or 2 whereby in the case of several selected subscriber areas the individual areas can overlap.
4. A communications system according to one of the claims 2 or 3 whereby the subscriber areas have differing priorities for usage.
5. A communications system according to one of the claims 1 to 4 in which the subscriber area is entered in the subscriber identity module (SIM).
6. A communications system according to one of the claims 1 to 5 in which the subscriber area comprises several cells and/or serves several mobile user units.
7. A communications system according to one of the claims 1 to 6 in which a first subscriber telephone number is intended for the mobile subscriber telephone number and a second intended for a telephone number used for the fixed network.

8. A communications system according to claim 7 in which at least one storage area (cache) is intended for the subscriber area on the subscriber identity module.
9. A communications system according to one of the claims 1 to 8 in which the subscriber area is defined via a location point and the location radius.
10. A communications system according to claim 9 in which the location radius is determined by sampling several cells in the vicinity of the location point. The length of the location radius is fixed according to the strength of reception.
11. A communications system according to one of the claims 1 to 10 in which it is intended to have one or more fixed stations within the subscriber area.
12. A communications system according to claim 11 in which the location point is coincidental with the position of the fixed station.
13. A communications system according to one of the claims 1 to 12 in which provision is made for a display for the mobile user unit which shows whether the mobile user is located within the subscriber area.
14. A communications system according to one of the claims 1 to 13 in which the global system for mobile communications (GSM) is used.
15. A communications system according to claim 14 in which provision is made for a first and a second flag, whereby the first flag signals whether the mobile user unit is authorised for the subscriber area and a second flag signals whether an allocation has already been made for the subscriber area.

16. A set of procedures for operating a communications system for mobile telecommunications, in particular using the communications system according to one of the claims 1 to 15, which comprises following steps.

- a) providing a switching unit with a total area;
- b) defining at least one subscriber area within this total area; and
- c) allocating at least one subscriber number for the subscriber area

17. A set of procedures according to claim 16 in which the subscriber area is defined and set by the switching unit.

18. A set of procedures according to claim 17 in which the subscriber area is defined via

- a) specifying a location point, for example the name of a street;
- b) determining the absolute value of the location radius using a graphic information system (GIS) with a database including the location points and considering the fact that several cells are within the location radius; and
- c) writing the location point and the location radius to a file of the switching unit; and
- d) transmitting the location point and the location radius to the subscriber identity module of the mobile user unit .

19. A set of procedures according to claim 16 in which the subscriber area is defined via the mobile user unit .

20. A set of procedures according to claim 19 in which the subscriber area is defined via

- a) checking the first and second flag, whereby the first flag signals whether the mobile user unit is authorised for the subscriber area and a second flag signals whether an allocation to the subscriber area has already taken place;
- b) selecting the cells around the mobile user unit according to the strength of the signals;
- c) recording the cell currently used for transmission;
- d) determining the area code and the cell identity (cell-ID) on the basis of the recorded cell;
- e) transmitting the area code and the cell identity to a collecting point of the switching unit and the simultaneous storage of the address of the collecting point in the subscriber identity module (SIM);
- f) determining the location point and the location radius according to a file intended for the collecting point and which contains all the cells;
- g) producing a subscriber file within the collecting point which is subject to write protection;
- h) transmitting the location point and the location radius to the subscriber identity module of the mobile user unit;
- i) updating the location point and location radius stored in the mobile user unit.

21. A set of procedures according to one of the claims 18 or 20 in which the square of the location radius is transmitted to the subscriber identity module.
22. A set of procedures according to one of the claims 16 to 21 in which it is displayed whether the mobile user unit is located in the subscriber area.
23. A set of procedures according to claim 22 in which the check is made whether the new cell is located within a given subscriber area.
24. A set of procedures according to claim 23 in which it is displayed which subscriber area has been activated.
25. A set of procedures according to one of the claims 16 to 21 in which arriving information is passed on if the mobile user unit is located outside the subscriber area.
26. A set of procedures according to one of the claims 16 to 25 in which the definition of the sub-area can be made several times and/or with different cells.
27. A set of procedures according to one of the claims 16 to 26 in which two subscriber numbers are allocated to one subscriber area.

1/5





Fig. 2






Fig. 3




Fig. 4




Fig. 5




Fig. 6

4/5




Fig. 7

Fig. 8

5/5

```
graph TD
    200[Cell selector] --> 202[Delete home zone FLAG]
    202 --> 204{Cell in home zone ancillary storage ?}
    202 --> 206{Cell in HZ ancillary storage 2 ?}
    202 --> 208{Cell in HZ ancillary storage 3 ?}
    202 --> 210{Cell in HZ ancillary storage 4 ?}
    204 --> 212[Display HOME ZONE FLAG 1]
    206 --> 214[Display HOME ZONE FLAG 2]
    208 --> 216[Display HOME ZONE FLAG 3]
    210 --> 218[Display HOME ZONE FLAG 4]
    212 --> 220[DECODE x, y COORDINATES OF THE CELL]
    214 --> 220
    216 --> 220
    218 --> 220
    220 --> 222[REPEAT FOR EACH HOME ZONE]
    222 --> 224{Cell in HOME ZONE ?}
    224 -- End --> 226[Authorized for another subscriber area]
    224 --> 228{Cell in ancillary storage ?}
    228 -- No --> 230[Remove cell from ancillary storage DELETE FLAG]
    228 -- Yes --> 232[Compute difference between x- and y-coordinates]
    232 --> 234{> 100 km ?}
    234 -- No --> 236[Compute difference between HOMEZONE and cell]
    236 --> 238{> 100 km ?}
    238 -- No --> 240[Add cell; display MODE]
    238 -- Yes --> 242{Cell in HOME ZONE ?}
    242 -- Yes --> 244[Add cell; display MODE]
    242 -- No --> 246[Cell in ancillary storage ?]
    246 -- Yes --> 248[Add cell; display MODE]
    246 -- No --> 250[Remove cell from ancillary storage DELETE FLAG]
    250 --> 222
    244 --> 222
    248 --> 222
    250 --> 222
    226 --> 222
```

02265-01/bn



Attorney's Docket No. PATENT 298-141

COMBINED DECLARATION AND POWER OF ATTORNEY

(ORIGINAL, DESIGN, NATIONAL STAGE OF PCT, SUPPLEMENTAL,
DIVISIONAL, CONTINUATION OR CIP)

As a below named inventor, I hereby declare that:

TYPE OF DECLARATION

This declaration is of the following type: *(check one applicable item below)*

- ☒ original
- ☐ design
- ☐ supplemental

NOTE: If the declaration is for an International Application being filed as a divisional, continuation or continuation-in-part application do not check next item; check appropriate one of last three items.

- ☒ national stage of PCT

NOTE: If one of the following 3 items apply then complete and also attach ADDED PAGES FOR DIVISIONAL, CONTINUATION OR CIP.

- ☐ divisional
- ☐ continuation
- ☐ continuation-in-part (CIP)

INVENTORSHIP IDENTIFICATION

WARNING: If the inventors are each not the inventors of all the claims an explanation of the facts, including the ownership of all the claims at the time the last claimed invention was made, should be submitted.

My residence, post office address and citizenship are as stated below next to my name, I believe I am the original, first and sole inventor *(if only one name is listed below)* or an original, first and joint inventor *(if plural names are listed below)* of the subject matter which is claimed and for which a patent is sought on the invention entitled:

TITLE OF INVENTION

COMMUNICATIONS SYSTEM FOR MOBILE TELECOMMUNICATIONS AND A SUITABLE SET OF PROCEDURES FOR THE SYSTEM

SPECIFICATION IDENTIFICATION

the specification of which: *(complete (a), (b) or (c))*

- (a) ☐ is attached hereto.
(b) ☐ was filed on _____ as ☐ Serial No. 0 / _____ or ☐ Express Mail No., as Serial No. not yet known _____ and was amended on _____ *(if applicable).*

NOTE: Amendments filed after the original papers are deposited with the PTO which contain new matter are not accorded a filing date by being referred to in the declaration. Accordingly, the amendments involved are those filed with the application papers or, in the case of a supplemental declaration, are those amendments claiming matter not encompassed in the original statement of invention or claims. See 37 C.F.R. 1.67.

- (c) ☒ was described and claimed in PCT International Application No. PCT/EP00/02411 filed on March 17, 2000 and as amended under PCT Article 19 on _____ *(if any).*

ACKNOWLEDGMENT OF REVIEW OF PAPERS AND DUTY OF CANDOR

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose information which is material to patentability as defined in 37 C.F.R. §1.56, and

- ☐ in compliance with this duty there is attached an information disclosure statement in accordance with 37 C.F.R. 1.98.

PRIORITY CLAIM (35 U.S.C. §119)(a)-(d)

I hereby claim foreign priority benefits under Title 35, United States Code, §119(a)-(d) of any foreign application(s) for patent or inventor's certificate or of any PCT international application(s) designating at least one country other than the United States of America listed below and have also identified below any foreign application(s) for patent or inventor's certificate or any PCT international application(s) designating at least one country other than the United States of America filed by me on the same subject matter having a filing date before that of the application(s) of which priority is claimed.

(complete (d) or (e))

(d) ☐ no such applications have been filed.

(e) ☒ such applications have been filed as follows.

NOTE: Where item (c) is entered above and the International Application which designated the U.S. itself claimed priority check item (e), enter the details below and make the priority claim.

**PRIOR FOREIGN/PCT APPLICATION(S) FILED WITHIN 12 MONTHS
(6 MONTHS FOR DESIGN) PRIOR TO THIS APPLICATION
AND ANY PRIORITY CLAIMS UNDER 35 U.S.C. §119(a)-(d)**

COUNTRY (OR INDICATE IF PCT)	APPLICATION NUMBER	DATE OF FILING (day, month, year)	PRIORITY CLAIMED UNDER 35 U.S.C. 119
GERMANY	199 11 938.4	17, 03, 99	<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO
PCT	PCT/EP00/02411	17, 03, 00	<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO

**CLAIM FOR BENEFIT OF PRIOR U.S. PROVISIONAL APPLICATION(S)
(34 U.S.C. §119(e))**

I hereby claim the benefit under Title 35, United States Code, §119(e) of any United States provisional application(s) listed below:

PROVISIONAL APPLICATION NUMBER

FILING DATE

**CHECK PROPER BOX(ES) FOR ANY OF THE FOLLOWING
ADDED PAGE(S) WHICH FORM A PART OF THIS DECLARATION**

- ☐ Signature for subsequent joint inventors.
Number of pages added ____.
- ☐ Signature by administrator(trix), executor(trix) or legal representative for deceased or incapacitated inventor.
Number of pages added ____.
- ☐ Signature for inventor who refuses to sign or cannot be reached by person authorized under 37 C.F.R. §1.47.
Number of pages added ____.
- ***
- ☐ Added pages to combined declaration and power of attorney for divisional, continuation, or continuation-in-part (CIP) application.
Number of pages added ____.
- ***
- ☐ Authorization of attorney(s) to accept and follow instructions from representative.
- ***

If no further pages form a part of this Declaration then end this Declaration with this page and check the following item.

☒ This declaration ends with this page.

**ALL FOREIGN APPLICATION(S), IF ANY FILED MORE THAN 12 MONTHS
(6 MONTHS FOR DESIGN) PRIOR TO THIS U.S. APPLICATION**

NOTE: If the application filed more than 12 months from the filing date of this application is a PCT filing forming the basis for this application entering the United States as (1) the national stage, or (2) a continuation, divisional, or continuation-in-part, then also complete ADDED PAGES TO COMBINED DECLARATION AND POWER OF ATTORNEY FOR DIVISIONAL CONTINUATION OR CIP APPLICATION for benefit of the prior U.S. or PCT application(s) under 35 U.S.C. §120.

POWER OF ATTORNEY

I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and transact all business in the Patent and Trademark Office connected therewith. *(List name and registration number)*

(21) PETER G. DILWORTH, Reg. No. 26,450; ROCCO S. BARRESE, Reg. No. 25,253;
DAVID M. CARTER, Reg. No. 30,949; PAUL J. FARRELL, Reg. No. 33,494;
PETER DELUCA, Reg. No. 32,978; JEFFREY S. STEEN, Reg. No. 32,063;
JOSEPH W. SCHMIDT, Reg. No. 36,920; RAYMOND E. FARRELL, Reg. No. 34,816;
ADRIAN T. CALDERONE, Reg. No. 34,746; GEORGE M. KAPLAN, Reg. No. 28,375;
RUSSELL R. KASSNER, Reg. No. 36,183; CHRISTOPHER G. TRAINOR, Reg. No. 39,547;
GEORGE LIKOUREZOS, Reg. No. 40,067; EDWARD C. MEAGHER, Reg. No. 41,189;
MICHAEL E. CARMEN, Reg. No. 43,533; HAROLD G. FURLOW, Reg. No. 43,624;
DANIEL E. TIERNEY, Reg. No. 33,461; MICHAEL J. MUSELLA, Reg. No. 39,310;
JUDY NAAMAT, Reg. No. 39,311; MICHAEL R. BREW, Reg. No. 43,513;
MICHAEL J. PORCO, Reg. No. 46,007; and JOHN F. GALLAGHER, Reg. No. 47,234;
each of them of DILWORTH & BARRESE, LLP, 333 Earle Ovington Boulevard, Uniondale,
New York 11553.

SEND CORRESPONDENCE TO:

Rocco S. Barrese, Esq.
DILWORTH & BARRESE
333 Earle Ovington Boulevard
Uniondale, New York 11553

DIRECT TELEPHONE CALLS TO:
(Name and telephone number)

(516) 228-8484

DECLARATION

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

SIGNATURE(S)

NOTE: Carefully indicate the family (or last) name as it should appear on the filing receipt and all other documents.

Full name of **sole or first inventor** Thomas Odorfer

Inventor's signature 

Date 9-11-2001 Country of Citizenship Germany

Residence Brahmsstr. 19, D-81677 Munich, Germany DEX

Post Office Address Same as above

Full name of **second joint inventor, if any** Gerhard Mayrhofer

Inventor's signature 

Date 9-Nov 2001 Country of Citizenship Germany

Residence Wiegandweg 7, D-80937 Munich, Germany DEX

Post Office Address Same as above

204020 6872259
1-00
2-00